


**Mod. 2437 OE**

## 2437 EXPLORER CASES

The new **Explorer Cases 2437** is a compact, basket-shaped case designed for maximum protection in demanding environments. With external dimensions of **269×304×388 mm** and internal dimensions of **240×240×370 mm**, it withstands **drops from up to 9 meters**. It features a **top carry handle**, **automatic pressure valves**, a **pull-style latch**, and a **shoulder-strap attachment point**. Available in **black, orange, and green**, it can be supplied **empty** or with **pre-cubed foam** for tailored equipment protection.



METRIC MM-KG-C°

**INTERNAL DIMENSIONS**

|                 |        |
|-----------------|--------|
| <b>L LENGTH</b> | 240 mm |
| <b>W WIDTH</b>  | 240 mm |
| <b>D DEPTH</b>  | 370 mm |
| <b>LID</b>      | 70 mm  |
| <b>BASE</b>     | 300 mm |


**EXTERNAL DIMENSIONS**

|                 |        |
|-----------------|--------|
| <b>L LENGTH</b> | 300 mm |
| <b>W WIDTH</b>  | 269 mm |
| <b>D DEPTH</b>  | 304 mm |

**OTHER DATA**

|                                |                     |
|--------------------------------|---------------------|
| <b>WEIGHT EMPTY</b>            | 2.45 Kg             |
| <b>WEIGHT WITH FOAM</b>        | 2.87 Kg             |
| <b>WEIGHT WITH CUSTOM FOAM</b> | Kg                  |
| <b>VOLUME</b>                  | 21.3 lt             |
| <b>BUOYANCY</b>                | 15.6 Kg/max         |
| <b>OPERATING TEMPERATURE</b>   | °C min -24 / max 90 |

IMPERIAL IN-LBS-F°



#### INTERNAL DIMENSIONS

|                 |          |
|-----------------|----------|
| <b>L</b> LENGTH | 9.45 in  |
| <b>W</b> WIDTH  | 9.45 in  |
| <b>D</b> DEPTH  | 14.57 in |
| <b>LID</b>      | 2.76 in  |
| <b>BASE</b>     | 11.81 in |

#### EXTERNAL DIMENSIONS

|                 |          |
|-----------------|----------|
| <b>L</b> LENGTH | 11.81 in |
| <b>W</b> WIDTH  | 10.59 in |
| <b>D</b> DEPTH  | 11.97 in |

#### OTHER DATA

|                                |                       |
|--------------------------------|-----------------------|
| <b>WEIGHT EMPTY</b>            | 5.4 lbs               |
| <b>WEIGHT WITH FOAM</b>        | 6.33 lbs              |
| <b>WEIGHT WITH CUSTOM FOAM</b> | lbs                   |
| <b>VOLUME</b>                  | 5.63 gal              |
| <b>BUOYANCY</b>                | 34.39 lbs/max         |
| <b>OPERATING TEMPERATURE</b>   | °F min 11.2 / max 194 |

## FEATURES